



education **environments**
flexible. functional. engaging.

600 SERIES INDUSTRIAL

Stool
by The KI logo consists of the letters 'KI' in a stylized, bold, red font.



Industrial Adjustable Stools

Technical Specifications

PRODUCT SPECIFICATIONS

600 Series® Industrial Stool

TECHNICAL SPECIFICATIONS

Frames

Two leg sections of 18-gauge, $\frac{7}{8}$ " O.D. seam-welded tubular steel are crossed and welded together. The foot ring and leg frame are welded into a single unit. Foot rings are 18-gauge, $\frac{5}{8}$ " O.D. and are shaped for an enlarged weld area at point of contact with leg. Equipped with replaceable polyethylene feet.

Seats

Steel Seats

Constructed of 20-gauge die-formed steel pan with fully curled edges for strength and safety, 14" in diameter. Tempered hardboard Masonite inset riveted into seat recess.

Upholstered Seats

Constructed of 20-gauge die-formed steel pan, 14" in diameter. Replaceable $\frac{5}{8}$ " foam pad mounted to hardboard, fastened into seat recess with mechanical fasteners. Seats are upholstered in vinyl.

Wood Seats

Wood seats are 14" in diameter, $\frac{1}{4}$ " hardwood (Rubberwood) with clear lacquer finish. Wood seats are attached to stool with screws.

Polypropylene Stool Seats

Polypropylene seats are injection-molded thermoplastic with integral rib construction for strength, 13" in diameter. Color permeates throughout the seat. White marks may occur at four spots on the front edge of seat but does not alter the structural integrity of the stool.

Base Spreads

18" high stools have a 14" base spread.

24" high stools have a $15\frac{1}{4}$ " base spread.

30" high stools have a $15\frac{1}{2}$ " base spread.

Glides


Glides are available on fixed-height or adjustable-height stools.

Frame Finish


Stool frames are finished with baked-on, electrostatically-applied epoxy powder-coat paint.

DIMENSIONS


600 Series Industrial - 18" Fixed-Height



(front view)




(side view)




(top view)


600 Series Industrial - 24" Fixed-Height



(front view)




(side view)




(top view)


600 Series Industrial - 30" Fixed-Height



(front view)



(side view)




(top view)

Industrial Adjustable Stools


Technical Specifications

DIMENSIONS


600 Series Industrial - 18" Adjustable-Height



(front view)




(side view)




(top view)


600 Series Industrial - 24" Adjustable-Height



(front view)




(side view)




(top view)

STATEMENT OF LINE


600 Series Industrial Stools - Fixed-Height



618




624




630

600 Series Industrial Stools - Adjustable-Height



618A



624A



education **environments**
flexible. functional. engaging.